Center for Regulatory Services, Inc.

5200 Wolf Run Shoals Road * Woodbridge, VA 22192-5755 Telephone 703 590 7337 * Fax 703 580 8637 cfrsrv@aol.com

April 22, 2015
CBIC Control Number

364816

U.S. Environmental Protection Agency - East

Attn: TSCA Section 8(e) Room 6428 1201 Constitution Avenue, NW Washington, DC 20004 1015 APR 28 AM

SUBJECT:

TSCA 8(e) Notification

LVE

L-03-154

The enclosed aquatic tox results that came the attention of JSR Micro, Inc., April 17, 2015, for the subject substance that is identified in Low Volume Exemption L-03-154.

The results of the aquatic tox testing of the substance is only identified as CHAGALL.

96-hour LC50 Acute Toxicity Study in Fish (*Oryzias latipes*) - <1.0 mg/L 48-hour EC50 Acute Immobilization in *Daphnia magna* - <1.0 mg/L 72-hour EC50 Algal Growth Inhibition in *Pseudokirchneriella subcapitata* - <1.0 mg/L

Please feel free to contact the undersigned if you have any questions or if we can provide additional information.

Sincerely,

William A. Olson, Ph.D.

Agent

JSR Micro, Inc.

WAO:gbt JSR-8E-CHAGALL

Enclosures

3 Aquatic Tox Reports (6 pages)

ec: Y. Ueda/T. Ozag, JSR (w/o Enclosures)

Appearance of test solution: Colorless and clear (at the start of exposure: visual)

6. Result

96-hour median lethal concentration (96hr LC₅₀): <1.0 mg/L (nominal concentration)

Table Result of cumulative mortality and quality of test solution

Table Result of cultidative mortality and quarty of less solution								
Test level	Cumulative mortality (%)				Dissolved oxygen concentration (mg/L)		рН	
(mg/L)	24 hours	48 hours	72 hours	96 hours	At the start	At the end	At the start	At the end
Control	0	0	0	0	8.2	8.1	7.9	7.9
1.0	57	86	100	100				
10	100	100	100	100				
100	100	100	100	100	8.0	8.9ª	8.0	7.6ª

It indicates the measured value at the time that mortality of all organisms was confirmed. (24 hours after the start of exposure)



Receipt number	662-14-E-6907
Study number	96907

March 23, 2015

TEST REPORT

- A 48-hour Acute Immobilization Study in Daphnia magna -

Chemicals Evaluation and Research Institute,

Japan, Kurume

3-2-7, Miyanojin, Kurume-shi,

Fukuoka 839-0801, Japan

Test item CHAGALL
 Sponsor JSR Corporation

3. Objective To determine acute effects of the test item to daphnids

4. Dates Exposure initiation March 18, 2015
Exposure termination March 20, 2015

5. Materials and methods

Test organism Daphnia magna (Clone A)

Exposure conditions

Exposure duration: 48 hours
Test type: Static regime

Test concentration: 100, 10, 1.0 mg/L as nominal concentration, and a control

Preparation of test solution: The test item and dilution water were mixed to prepare each nominal concentration and stirred for 48 hours under shading.

Then the suspension was filtered with a glass fiber filter (GB-140, 0.4 µm pore size, Toyo Roshi) by suction to prepare the test

solution. The test item was treated under yellow fluorescent light.

Environmental conditions

Dilution water: Dechlorinated tap water

Temperature: 20±1°C

Number of organisms: 20 daphnids/test level (5 daphnids/test vessel, 4 replicates)

Volume of test solution: 400 mL/test level (100 mL/test vessel, 4 replicates)

Test vessel: 100 mL glass beaker

Lighting condition: Shading condition

It was conducted under the yellow fluorescent light at the preparation of test solution, handing of test organism,

measurement of water quality and observation of test organisms,

and under the room light at filtering the test solutions.

Feeding:

No feeding

Aeration: No aeration

Observation and measurements

Observation of organisms: Immobility was observed at 24 and 48 hours after exposure.

Daphnids were considered immobile if they were not able to swim

within 15 seconds after gentle agitation of the test vessel.

Water quality: Dissolved oxygen concentration and pH were measured of 100

mg/L and the control at the start and end of exposure.

Appearance of test solution: Colorless and clear (at the start of exposure: visual)

6. Result

48-hour median effective concentration (48hr EC₅₀): <1.0 mg/L (nominal concentration)

Table Result of immobility and quality of test solution

Test level	Immobility (%)			d oxygen ion (mg/L)	рН	
(mg/L)	24 hours	48 hours	At the start	At the end	At the start	At the end
Control	0	0	8.8	8.8	7.6	7.6
1.0	100	100				
10	100	100				
100	100	100	8.4	8.8	7.7	7.8



Receipt number	662-14-E-6906
Study number	96906

March 30, 2015

TEST REPORT

- Algal Growth Inhibition Study in Pseudokirchneriella subcapitata -

Chemicals Evaluation and Research Institute, Japan, Kurume 3-2-7, Miyanojin, Kurume-shi, Fukuoka 839-0801, Japan

1. Test item

CHAGALL

2. Sponsor

JSR Corporation

3. Objective

To determine the effects of the test item on growth of algae

4. Dates

Exposure initiation

March 13, 2015

Exposure termination

March 16, 2015

5. Materials and methods

Test organism

Pseudokirchneriella subcapitata

Exposure conditions

Exposure duration:

Test concentration:

72 hours

Type test:

Incubation with rotary shaking (approximately 100 rpm) 100, 10, 1.0 mg/L as nominal concentration and a control

Preparation of test solution:

The test item and medium were mixed to prepare each nominal concentration and stirred for 48 hours under shading. Then the suspension was filtered with a glass fiber filter (GB-140, 0.4 µm)

suspension was filtered with a glass fiber filter (GB-140, 0.4 μm pore size, Toyo Roshi) by suction to prepare the test solution.

The test item was treated under yellow fluorescent light.

Environmental conditions

Medium:

OECD medium

Temperature:

21-24°C (not varied more than \pm 2°C)

Initial cell concentration:

10⁴ cells/mL

Volume of test solution:

300 mL/test level (100 mL/test vessel × 3 replicates)

Test vessel:

Sterilized 300 mL Erlenmeyer flask with gas-permeable

silicon rubber plug

Lighting condition:

Nominal 90 μmol·m⁻²·s⁻¹

(within \pm 20% of nominal, within \pm 15% from the average

light intensity)

Continuous illumination provided by fluorescent lights

with wavelength range of 400-700 nm

Measurements

Biomass:

Cell concentration was measured.

Condition of test solution:

pH of 100 mg/L and control were measured at the start and

end of exposure.

Appearance of test solution: Clear and colorless (at the start of exposure: visual)

6. Result

72-hour median effective concentration (72hr E_rC_{50}) [Based on growth rate (0-3d)] : <1.0 mg/L (nominal concentration)

No Observed Effect Concentration (NOEC): <1.0 mg/L (nominal concentration)

Table Result of growth inhibition rate and quality of test solution

Test level	Growth inhibition rate (%)	pН		
(mg/L)	(Growth rate 0-3d)	At the start	At the end	
Control	-	7.8	8.0	
1.0	95			
10	119			
100	174	7.8	7.9	

Center for Regulatory Services, Inc. 5200 Wolf Run Shoals Road Woodbridge, VA 22192



7409M

U.S. Environmental Protection Agency – East Attn: TSCA Section 8(e) Room 6428 1201 Constitution Avenue, NW Washington, DC 20004

FCE 20183241